

SPARKLE RIDES



Hebei Sparkle Rides Technologies Ltd.



COMPANY PROFILE

As a professional supplier for producing kids balance bike, scooters and tricycles, our campus located in Xingtai City, Hebei Province where is one of the main manufacturing bases in China. With experience for over 8 years special for manufacturing, we are now having, 30,000 m² workshop, 150 staffs and producing capacity of 500,000 units per year. our footprint has covered over 10 countries including the USA, Canada, UK, French, German, Italy, and Spain.

Riding by quality control system of ISO9001, all our mass production equivalent with EN71 & ASTM which is CE and CPSC certificate. We also got certified by BSCI. By practicing R&D, we have developed new design and new material of balance bike for not only steel frame bike but also magnesium and nylon frame bikes.

With the principle of working efficiency, we save cost not only for product but also for communication. Start to talk with us while get benefit for your business right away.

CERTIFICATE

Test Report
Report No: CTCR1822204988403208 Date: Apr 24, 2024 Page: 1 of 11

Applicant: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China
Manufacturer: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name: Mini Bike
Sample Model: LG-1006
Trade Name: /
Labeled Age Grading: Over 10 Months
Sample Received Date: Apr 18, 2024
Expiry Period: Apr 18, 2024 To Apr 24, 2024
Test Requested: Selected test (s) in the selected parts as requested by client.
Expiry Method: EN71-1:2014+A1:2018 Physical and Mechanical Requirements, EN71-2:2020 Flammability Requirements, EN71-3:2019+A1:2021 Migration of Certain Elements.
Expiry Result: Pass Test

SUMMARY OF TEST RESULTS	CONCLUSION
TEST REQUESTED	PASS
Statistical and physical properties - European standard EN 71-1:2014+A1:2018	PASS
Flammability - European standard EN 71-2:2020	PASS
Migration of Certain Elements - European standard EN 71-3:2019+A1:2021	PASS

Test Result: Please refer to test page(s).

APPROVED FOR AND ON BEHALF OF THE CLIENT
Richard Liu, Authorized Signatory
Apr 24, 2024

02810 K82C11

Intertek Building A1, Labing Information Industry Incubator Park, No. 31, Boshan Road, Baoding City, Hebei Province, China
Tel: +86 312 880 1876 Fax: +86 312 880 1880 E: mail.intertek@ctc.com.cn

Certificate of Compliance

Certificate No.: CTCR1822204988403208
Applicant: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China
Manufacturer: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China

Product Name: Mini Bike
Main Test Model: LG-1006
Trade Name: /
Test Standard: EN 71-1:2014+A1:2018 EN 71-2:2020 EN 71-3:2019+A1:2021

As shown in the Test Report No.: CTCR1822204988403208

The EUT described above has been tested by us with the listed standards and found in compliance with the marked TOYS directive 2009/EC. It is possible to use CE marking to demonstrate the compliance with the TOYS Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production. It is only valid as long as the product is made.

CTC Testing Group (Shanghai) Co., Ltd.
No. 31, Boshan Road, Baoding City, Hebei Province, China
Tel: +86 312 880 1876 Fax: +86 312 880 1880 E: mail.intertek@ctc.com.cn

Richard Liu, Authorized Signatory
Apr 24, 2024

Test Report
Report No: CTCR1822204988403208 Date: Apr 24, 2024 Page: 1 of 11

Applicant: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China
Manufacturer: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name: Pallet Tricycle
Sample Model: LG-1418R
Trade Name: /
Labeled Age Grading: 2+
Sample Received Date: Apr 18, 2024
Expiry Period: Apr 18, 2024 To Apr 24, 2024
Test Requested: Selected test (s) in the selected parts as requested by client.
Expiry Method: EN71-1:2014+A1:2018 Physical and Mechanical Requirements, EN71-2:2020 Flammability Requirements, EN71-3:2019+A1:2021 Migration of Certain Elements.
Expiry Result: Pass Test

SUMMARY OF TEST RESULTS	CONCLUSION
TEST REQUESTED	PASS
Statistical and physical properties - European standard EN 71-1:2014+A1:2018	PASS
Flammability - European standard EN 71-2:2020	PASS
Migration of Certain Elements - European standard EN 71-3:2019+A1:2021	PASS

Test Result: Please refer to test page(s).

APPROVED FOR AND ON BEHALF OF THE CLIENT
Richard Liu, Authorized Signatory
Apr 24, 2024

02810 K82C11

Intertek Building A1, Labing Information Industry Incubator Park, No. 31, Boshan Road, Baoding City, Hebei Province, China
Tel: +86 312 880 1876 Fax: +86 312 880 1880 E: mail.intertek@ctc.com.cn

Certificate of Compliance

Certificate No.: CTCR1822204988403208
Applicant: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China
Manufacturer: Hubei Sparta Ride Technologies Ltd.
Address: #817, Orient Victory Plaza NO. 508 Zhongshan Road, Chang'an District, Shaohuang City Hebei Province, China

Product Name: Pallet Tricycle
Main Test Model: LG-1418R
Trade Name: /
Test Standard: EN 71-1:2014+A1:2018 EN 71-2:2020 EN 71-3:2019+A1:2021

As shown in the Test Report No.: CTCR1822204988403208

The EUT described above has been tested by us with the listed standards and found in compliance with the marked TOYS directive 2009/EC. It is possible to use CE marking to demonstrate the compliance with the TOYS Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production. It is only valid as long as the product is made.

CTC Testing Group (Shanghai) Co., Ltd.
No. 31, Boshan Road, Baoding City, Hebei Province, China
Tel: +86 312 880 1876 Fax: +86 312 880 1880 E: mail.intertek@ctc.com.cn

Richard Liu, Authorized Signatory
Apr 24, 2024

intertek
Test Report
NUMBER: TSNH00513460
Date: Sep 24, 2024

Applicant: Hubei Sparta Ride Technologies Ltd.
Address: 20017 Orient Victory Plaza, No. 508 Zhongshan Road, Chang'an District, Shaohuang City, Hebei Province, China
Address: 480, Xingtai City

Photo:

Product Name: TSNH00513460

Authorized By:

Checked By:

Approved By:

Intertek Building Number (Shanghai) Co., Ltd.
3-10, Building A1, Labing Information Industry Incubator Park, High-Tech Zone, Tianjin, China
Tel: +86 22 8975 8975 Fax: +86 22 8975 8976 E: mail.intertek@ctc.com.cn

intertek
Test Verification of Conformity
Verification Number: TSNH00513460-TV001

On the basis of the referenced test report(s), systems tested on the same product have been found to comply with the relevant international and/or domestic technical standards. As a result of the test, we have confirmed that the standards and directives has been taken into account. This verification is part of the full test reported and should be read in conjunction with it.

Once compliance with all product relevant CE mark directives are met, including any relevant EU and/or international and/or domestic technical standards and/or national standards by signing a Declaration of Conformity Declaration and applying the mark to products covered by the tested sample(s).

Applicant Name & Address: Hubei Sparta Ride Technologies Ltd.
20017 Orient Victory Plaza, No. 508 Zhongshan Road, Chang'an District, Shaohuang City, Hebei Province, China

Manufacturing Site Name/Address: Hubei Sparta Ride Technologies Ltd.
#817, Orient Victory Plaza, No. 508 Zhongshan Road, Chang'an District, Shaohuang City, Hebei Province, China

Product Description: Tricycle Type
Category & Process: Pallet
Classification: LG-1418R
Model/Type Reference: /
Brand Name(s): /
Standard(s)/Directive(s): EN71-1:2014+A1:2018 EN71-2:2020 EN71-3:2019+A1:2021

Verification Issuing Office: Intertek Building A1, Labing Information Industry Incubator Park, No. 31, Boshan Road, Baoding High-Tech Zone, Hebei Province, China
Name & Address: Richard Liu, No. 31, Boshan Road, Baoding High-Tech Zone, Hebei Province, China
Test Report Number(s): TSNH00513460

Intertek Building Number (Shanghai) Co., Ltd.
3-10, Building A1, Labing Information Industry Incubator Park, High-Tech Zone, Tianjin, China
Tel: +86 22 8975 8975 Fax: +86 22 8975 8976 E: mail.intertek@ctc.com.cn



YOUR BUSINESS OUR FIRST PRIORITY

CONTINUOUS EXPLORATION AND INNOVATION

Magnesium Balance Bike | 01 - 06

Nylon Balance Bike | 07 - 10

Aluminum Balance Bike | 11 - 17

Steel balance bike | 18 - 22

Mini balance bike | 23 - 24

Scooter | 25

Baby Tricycle | 26 - 31

1210M



-  12" Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		



1224M



-  12" Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handl bar+TPR Grip
-  Sealed-bearing
-  Bearing
-  Air Tire wheel

Way of packing	95% SKD	
Carton Size	86*15*48cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		



1223M



-  12" Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Megnesium Alloy
-  Aluminum Alloy
-  Aluminum alloy handld bar+TPR Grip
-  Sealed-bearing
-  Bearing
-  Air Tire wheel

Way of packing	95% SKD	
Carton Size	86*15*48cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		



1410M



-  14" Magnesium Alloy
-  ECO Friend PU With Cushion Pad
-  14" Aluminum Alloy
-  Aluminum alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis + Carbon steel hub
-  Steel ball
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	78*15*45cm	
Weight	G.W.: 4.5kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 530units	40HQ: 1300units
Remark		



1412M



-  14" Magnesium Alloy
-  14" Magnesium Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Steel ball
-  ECO Friend PU With Cushion Pad
-  Aluminum alloy
-  Digital Control axis + Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	78*15*45cm	
Weight	G.W.: 4.5kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 530units	40HQ: 1300units
Remark		



Optional Color

1233M



-  12" Magnesium Alloy
-  12" Magnesium Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		




Optional Color

1231M



-  12" Magnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		



HD-608



-  12"/ 14" Magnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" /14" Magnesium Alloy
-  Aluminum Alloy
-  Magnesium Alloy+TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  12"/ 14" Air Tire wheel

Way of packing	50% SKD	
Carton Size	64*17*39cm	
Weight	G.W.: 4.5kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 660 units	40HQ: 1600units
Remark		



1413M



-  12" Magnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Magnesium Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel



Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		

1337M



-  12"/ 14" Magnesium Alloy
-  24V ; 2.6AH
-  12" /14" Aluminum Alloy
-  Li-ion 120W
-  Aluminum alloy handle bar +TPR Grip
-  Aluminum alloy + Nylon
-  10 km/h
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	78*18*44cm	
Weight	G.W.: 7.5kgs	N.W.: 6.5kgs
Loading Quantity	20GP: 450 units	40HQ: 1080units
Remark		



Optional Color

HLF-ZS623



-  12" Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Megnesium Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	89*13*54cm	
Weight	G.W.: 4.75kgs	N.W.: 3.45kgs
Loading Quantity	20GP: 464units	40HQ: 1104units
Remark		



1339M



-  12"Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12"Megnesium Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar+TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.2kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 638 units	40HQ: 1519units
Remark		



1218N



Way of packing	75%SKD	
Carton Size	70*16*30cm	
Weight	G.W.: 4.2kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 830units	40HQ: 2000units
Remark		

- 12" Nylon
- 12" Nylon
- Nylon
- PP

- ECO Friend PU With Cushion Pad
- Nylon
- Sealed-bearing
- Air Tire wheel



1203N



Way of packing	95%CKD	
Carton Size	86*15*48cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		

- 12" Nylon
- 12" Nylon
- Nylon
- Bearing

- ECO Friend PU With Cushion Pad
- Nylon
- Aluminum alloy bearing
- Air Tire wheel



1261N



-  12" Nylon
-  12" Nylon
-  Nylon
-  PP
-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  PU TIRE

Way of packing	95%CKD	
Carton Size	58*16*47cm	
Weight	G.W.: 4.5kgs	N.W.: 3.5kgs
Loading Quantity	20GP: 650units	40HQ: 1500units
Remark		



KL-08



-  12" Nylon
-  12" Nylon
-  Nylon
-  PP
-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  Air Tire wheel

Way of packing	65%SKD	
Carton Size	82*13*42cm	
Weight	G.W.: 4kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 620units	40HQ: 1490units
Remark		



1263N



Way of packing	75% SKD	
Carton Size	70*16*30cm	
Weight	G.W.: 4.2kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 800units	40HQ: 2000units
Remark		

-  12" Nylon
-  12" Nylon
-  Nylon
-  PP

-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  Air tire




HW-12-116N



Way of packing	85%SKD	
Carton Size	75*15*31cm	
Weight	G.W.: 4kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 830units	40HQ: 1977units
Remark		

-  12" Nylon
-  12" Nylon
-  Nylon
-  PP

-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  Air Tire wheel



SS-818



 12" Nylon

 12" Nylon

 Nylon

 PP

 ECO Friend PU
With Cushion Pad

 Nylon

 Sealed-bearing

 EVA tire

Way of packing	95% SKD	
Carton Size	60*14.5*37cm	
Weight	G.W.: 4.5kgs	N.W.: 3.7kgs
Loading Quantity	20GP: 900units	40HQ: 2143units
Remark		



1201L



-  12" Aluminum Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  Aluminum Alloy
-  Aluminum Alloy Handle Bar
-  Digital Control axis + Carbon steel hub
-  carbon steel with steel balls
-  Air Tire wheel

Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		



1208L



-  12" Aluminum Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		




1209L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum Alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		




Optional Color

1216L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar+TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Aluminum alloy bearing hub
-  Air Tire wheel

Way of packing	100% CKD	
Carton Size	86*15*48cm	
Weight	G.W.: 4.2kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		



Optional Color

1215L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum Sportage handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD(fork assembled)	
Carton Size	72*17*45cm	
Weight	G.W.: 4.2kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 500units	40HQ: 1250units
Remark		



1217L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  T type handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  PP
-  Digital Control axis +Sealed bearing
-  EVA Tire

Way of packing	100% CKD	
Carton Size	60*16*30cm	
Weight	G.W.: 2.6kgs	N.W.: 2.1kgs
Loading Quantity	20GP: 1000units	40HQ: 2300units
Remark		



1207L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		



1214L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar+TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  PP RIM
-  Digital Control axis + Carbon steel hub
-  EVA Tire

Way of packing	100% CKD	
Carton Size	60*16*30cm	
Weight	G.W.: 3.5kgs	N.W.: 2.9kgs
Loading Quantity	20GP: 1000units	40HQ: 2300units
Remark		



1231L



Way of packing	Install the front and back wheels	
Carton Size	70*15*30cm	
Weight	G.W.: 2.8kgs	N.W.: 2.2kgs
Loading Quantity	20GP: 900units	40HQ: 2200units
Remark		

-  12" Aluminum Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  PP
-  Aluminum alloy handle bar+TPR Grip
-  Digital Control axis + Carbon steel hub
-  Bearing
-  EVA Tire



1232L



Way of packing	Install the front and back wheels	
Carton Size	70*15*30cm	
Weight	G.W.: 2.8kgs	N.W.: 2.2kgs
Loading Quantity	20GP: 900units	40HQ: 2200units
Remark		

-  12" Aluminum Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  PP
-  Aluminum alloy handle bar+TPR Grip
-  Digital Control axis + Carbon steel hub
-  Bearing
-  EVA Tire



1233L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	65% SKD	
Carton Size	60*17*38 cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		



Optional Color

1234L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	65% SKD	
Carton Size	60*17*38 cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		



Optional Color

1203L



-  Competition-grade aluminum alloy
-  Competition-grade aluminum alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Sealed-bearing
-  CST Air tire

Way of packing	95% CKD	
Carton Size	88*14*50 cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 470units	40HQ: 1120units
Remark		



YH-B1



-  Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	95% SKD	
Carton Size	59*15.5*25 cm	
Weight	G.W.: 3.0kgs	N.W.: 2.6kgs
Loading Quantity	20GP: 1260units	40HQ: 2970units
Remark		



1209



Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*39cm	
Weight	G.W.: 4.8kgs	N.W.: 4.2kgs
Loading Quantity	20GP: 700units	40HQ: 1700units
Remark		

-  12" Carbon steel
-  ECO Friend PU With Cushion Pad
-  12" Carbon steel
-  Aluminum Alloy
-  Googseneck handle bar +PU leather Grip
-  Digital Control axis +Carbon steel hub
-  Carbon steel with steel balls
-  Air TIRE



Optional Color

1211



Way of packing	85% SKD(fork assembled)	
Carton Size	72*17*48cm	
Weight	G.W.: 6kgs	N.W.: 5.5kgs
Loading Quantity	20GP: 500units	40HQ: 1200units
Remark		

-  12" Carbon steel
-  ECO Friend PU With Cushion Pad
-  12" Carbon steel
-  Aluminum Alloy
-  Aluminum alloy handle bar+PU leather Grip
-  Digital Control axis + Carbon steel hub
-  Carbon steel with steel balls
-  Air Tire wheel



Optional Color

1261



-  12" Carbon steel
-  12" Carbon steel
-  Carbon steel T-type handle bar
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Flashing hub
-  Air TIRE



Way of packing	65% SKD(fork assembled)	
Carton Size	60*16*30cm	
Weight	G.W.: 4.1kgs	N.W.: 3.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		

1214



-  12" Carbon steel
-  12" Carbon steel
-  Gooseneck handle bar +PU leather Grip
-  Carbon steel with steel balls
-  ECO Friend PU With Cushion Pad
-  PP
-  Digital Control axis + Sealed bearing
-  EVA Tire

Way of packing	100% CKD	
Carton Size	59*16*30cm	
Weight	G.W.: 3.3kgs	N.W.: 2.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		




1201



-  12" Carbon steel
-  12" Carbon steel
-  Carbon steel +ECO Friend TPR
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Digital Control axis + Sealed bearing
-  EVA Tire

Way of packing	100% CKD	
Carton Size	59*16*30cm	
Weight	G.W.: 3.2kgs	N.W.: 2.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		



1203



-  12" Carbon steel
-  12" Carbon steel
-  Googseneck handle bar +ECO Friend TPR
-  Carbon steel with steel balls
-  ECO Friend PU With Cushion Pad
-  PP
-  Digital Control axis + Sealed bearing
-  EVA Tire

Way of packing	100% CKD	
Carton Size	59*16*30cm	
Weight	G.W.: 3.4kgs	N.W.: 2.85kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		



1208T



-  12" Carbon steel
-  12" Carbon steel
-  Googseneck handle bar +ECO Friend TPR
-  Carbon steel with steel balls
-  ECO Friend PU With Cushion Pad
-  PP
-  Digital Control axis + Sealed bearing
-  Air Tire wheel

Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*36cm	
Weight	G.W.: 4.7kgs	N.W.: 4.1kgs
Loading Quantity	20GP: 800units	40HQ: 1900units
Remark		




PH-09



-  12"/14"/16"Carbon steel
-  12"/14"/16" Carbon steel
-  Carbon Steel
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Nylon
-  Aluminium Alloy Hub
-  12"/14"/16" Air Tire wheel

Way of packing	95% SKD	
Carton Size	93*18*49cm	
Weight	G.W.: 8.8kgs	N.W.: 7.4kgs
Loading Quantity	20GP: 340units	40HQ: 800units
Remark		



MT-5158



-  12"/14" Carbon steel
-  12"/14" Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  ECO Friend PU With Cushion Pad
-  iron
-  iron
-  Air Tire wheel

Way of packing	95% SKD(fork assembled)	
Carton Size	88*13*52.5cm	
Weight	G.W.: 4.95kgs	N.W.: 3.55kgs
Loading Quantity	20GP: 482units	40HQ: 1148units
Remark		



1263



-  10" Carbon steel
-  10" Carbon steel
-  Googseneck handle bar +ECO Friend TPR
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Steel axis
-  EVA Tire

Way of packing	100% CKD	
Carton Size	60*16*30cm	
Weight	G.W.: 3.4kgs	N.W.: 2.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		



1003



-  Carbon steel
-  Carbon steel
-  Carbon steel +ECO Friend TPR
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Steel axis
-  EVA Tire

Way of packing	65% SKD	
Carton Size	49*19.5*21.5cm	
Weight	G.W.: 2.2kgs	N.W.: 1.8kgs
Loading Quantity	20GP: 1400units	40HQ: 3400units
Remark		



1006



-  Carbon steel
-  Carbon steel
-  Carbon steel +ECO Friend TPR
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Steel axis
-  EVA Tire

Way of packing	65% SKD	
Carton Size	49*19.5*21.5cm	
Weight	G.W.: 2.2kgs	N.W.: 1.8kgs
Loading Quantity	20GP: 1400units	40HQ: 3400units
Remark		



HM-518



-  Carbon steel
-  Carbon steel
-  Carbon steel
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Steel axis
-  EVA Tire

Way of packing	65% SKD	
Carton Size	43*18*27cm	
Weight	G.W.: 2.8kgs	N.W.: 2.3kgs
Loading Quantity	20GP: 1387units	40HQ: 3301units
Remark		



YH-HL01



-  Aluminum
-  Aluminum
-  Oak handle bar
-  PP
-  ECO Friend PU With Cushion Pad
-  PP
-  Steel axis
-  PU Tire

Way of packing	95% SKD	
Carton Size	56*22.5*37.5 cm	
Weight	G.W.: 4.4kgs	N.W.: 3.0kgs
Loading Quantity	20GP: 613units	40HQ: 1460units
Remark		



Optional Color

YH-SC1



Way of packing	1Units/Carton	
Carton Size	70*19*35cm	
Weight	G.W.: 4.3kgs	N.W.: 3.3kgs
Loading Quantity	20GP: 600units	40HQ: 1440units
Remark		



Brake design



Arbitrary height adjustment



Reinforced Body



Sensitive and convenient steering



Extra wear wheel



Light and easy to carry

Optional Color



KMQ609



Size of out carton	69x57x67cm, 6 units/carton	
Inner box	68x18x32cm	
Weight	G.W.: 4.3kgs	N.W.: 3.8kgs
Loading Quantity	20GP: 652units	40HQ: 1569units
Remark		



Hand/foot brake
Double brake design



Arbitrary height adjustment



Double reinforced body



Sensitive and convenient steering



Extra wear wheel



Light and easy to carry

Optional Color



XSD-014



Way of packing	100% CKD	
Carton Size	55*22*37cm	
Weight	G.W.: 3.2kgs	N.W.: 2.65kgs
Loading Quantity	20GP: 600units	40HQ: 1500units
Remark		

-  Carbon steel
-  PP
-  Carbon steel
-  PP
-  Carbon Steel
-  Carbon Steel Hub
-  Carbon steel with steel balls
-  EVA Tire



XSD-015



Way of packing	100% CKD	
Carton Size	59*29*39cm	
Weight	G.W.: 5kgs	N.W.: 4.3kgs
Loading Quantity	20GP: 400units	40HQ: 1000units
Remark		

-  Carbon steel
-  PP
-  Carbon steel
-  PP
-  Carbon Steel
-  Carbon Steel Hub
-  Carbon steel with steel balls
-  EVA Tire



SR-318



Way of packing	100% CKD	
Carton Size	50*35*32cm	
Weight	G.W.: 5kgs	N.W.: 4kgs
Loading Quantity	20GP: 500units	40HQ: 1220units
Remark		

-  Carbon steel
-  Leather cushion
-  Carbon steel
-  PP
-  Carbon Steel
-  Carbon Steel Hub
-  Carbon steel with steel balls
-  EVA Tire



HLF-6200



Way of packing	1 Units/Carton	
Carton Size	61*32*41cm	
Weight	G.W.: 11.4kgs	N.W.: 10.2kgs
Loading Quantity	20GP: 362units	40HQ: 862units
Remark		

-  Carbon steel
-  PP
-  Carbon steel
-  PP
-  Carbon Steel
-  Carbon Steel Hub
-  Carbon steel with steel balls
-  EVA Tire



HLF-515S-3T



Way of packing	1 Units/Carton	
Carton Size	55*20*35cm	
Weight	G.W.: 5.9kgs	N.W.: 5.3kgs
Loading Quantity	20GP: 753units	40HQ: 1795units
Remark		

-  Carbon steel
-  Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  Leather cushion
-  PP
-  Carbon Steel Hub
-  EVA Tire



HLF-903S



Way of packing	1 Units/Carton	
Carton Size	54*35*36cm	
Weight	G.W.: 10kgs	N.W.: 9kgs
Loading Quantity	20GP: 426units	40HQ: 1015units
Remark		

-  Carbon steel
-  Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  PP
-  PP
-  Carbon Steel Hub
-  PU Tire



HLF-6018



-  Carbon steel
-  Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  Leather cushion
-  PP
-  Carbon Steel Hub
-  PU Tire

Way of packing	1 Units/Carton	
Carton Size	61*32*41cm	
Weight	G.W.: 9.5kgs	N.W.: 8.5kgs
Loading Quantity	20GP: 362units	40HQ: 860units
Remark		



HLF-S801



-  Carbon steel
-  Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  PP
-  PP
-  Carbon Steel Hub
-  EVA Tire

Way of packing	1 Units/Carton	
Carton Size	50*40*38cm	
Weight	G.W.: 11kgs	N.W.: 9.6kgs
Loading Quantity	20GP: 381units	40HQ: 907units
Remark		



HLF-6202



-  Carbon steel
-  Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  Leather cushion
-  PP
-  Carbon Steel Hub
-  PU Tire

Way of packing	1 Units/Carton	
Carton Size	61*32*43cm	
Weight	G.W.: 12.3kgs	N.W.: 11.2kgs
Loading Quantity	20GP: 345units	40HQ: 822units
Remark		



HLF-M9



-  Carbon steel
-  Carbon steel
-  Carbon Steel
-  Carbon steel with steel balls
-  PP
-  PP
-  Carbon Steel Hub
-  EVA Tire

Way of packing	1 Units/Carton	
Carton Size	65*34*35cm	
Weight	G.W.: 8.9kgs	N.W.: 7.9kgs
Loading Quantity	20GP: 374units	40HQ: 891units
Remark		



HLF-PC900M



Stroller

Way of packing	1 Units/Carton	
Carton Size	53*34*80.5cm	
Weight	G.W.: 13kgs	N.W.: 11kgs
Loading Quantity	20GP: 200units	40HQ: 475units
Remark		



Carbon steel



Leather cushion



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



PU Tire



Optional Color



Stroller Sleeping Basket

Way of packing	1 Units/Carton	
Carton Size	53*54*88cm	
Weight	G.W.: 19.4kgs	N.W.: 17.3kgs
Loading Quantity	20GP: 115units	40HQ: 274units
Remark		



Stroller Car Seat

Way of packing	1 Units/Carton	
Carton Size	54*54*89cm	
Weight	G.W.: 23.8kgs	N.W.: 21.3kgs
Loading Quantity	20GP: 111units	40HQ: 267units
Remark		

 www.sparklerides.com

 Add : R1423, Orient Victory, Plaza NO.508
Zhongshan Road, Changan District,
Shijiazhuang City, Hebei Province, China

 Tel : +86-311-85698168

 Email : admin@sparklerides.com

